

## Information for Contributors

vii

## Regular papers

- Thyroid hormone suppresses hepatic sterol 12 $\alpha$ -hydroxylase (CYP8B1) activity and messenger ribonucleic acid in rat liver: Failure to define known thyroid hormone response elements in the gene  
*U. Andersson, Y.-Z. Yang, I. Björkhem, C. Einarsson, G. Eggertsen and M. Gåfvels (Sweden)* 167
- Characterization of lipid efflux particles generated by seminal phospholipid-binding proteins  
*R. Moreau and P. Manjunath (Canada)* 175
- Lipid bodies and lipid body formation in an oleaginous fungus, *Mortierella ramanniana* var. *angulisporea*  
*Y. Kamisaka, N. Noda, T. Sakai and K. Kawasaki (Japan)* 185
- Alteration of human leukotriene A<sub>4</sub> hydrolase activity after site-directed mutagenesis: serine-415 is a regulatory residue  
*I.V. Rybina and S.J. Feinmark (USA)* 199
- Formation of 9-hydroxy linoleic acid as a product of phospholipid peroxidation in diabetic erythrocyte membranes  
*M. Inouye, T. Mio and K. Sumino (Japan)* 204
- Suppression of murine endotoxic shock by sPLA<sub>2</sub> inhibitor, indoxam, through group IIA sPLA<sub>2</sub>-independent mechanisms  
*Y. Yokota, K. Hanasaki, T. Ono, H. Nakazato, T. Kobayashi and H. Arita (Japan)* 213
- A yeast strain defective in oleic acid utilization has a mutation in the RML2 gene  
*P.J. Trotter, R.A. Hagerman and D.R. Voelker (USA)* 223
- Antiplatelet effects of conjugated linoleic acid isomers  
*A. Truitt, G. McNeill and J.Y. Vanderhoek (UK, USA)* 239
- The platelet-activating factor receptor antagonist L-659,989 inhibits phospholipase D activity  
*A. Gómez-Muñoz, L. O'Brien and U.P. Steinbrecher (Canada)* 247
- Evidence for two distinct lysophospholipase activities that degrade lysophosphatidylcholine and lysophosphatidic acid in neuronal nuclei of cerebral cortex  
*R.R. Baker and H.-y. Chang (Canada)* 253
- Characterization of the transacylase activity of rat liver 60-kDa lysophospholipase-transacylase. Acyl transfer from the *sn*-2 to the *sn*-1 position  
*H. Sugimoto and S. Yamashita (Japan)* 264

Structural characterization of lichenysin A components by fast atom bombardment tandem mass spectrometry

- M.M. Yakimov, W.-R. Abraham, H. Meyer, Laura Giuliano and P.N. Golyshev (Germany, Italy)* 273
- Reconstituted phosphatidylserine synthase from *Escherichia coli* is activated by anionic phospholipids and micelle-forming amphiphiles  
*L. Rilfors, A. Niemi, S. Haraldsson, K. Edwards, A.-S. Andersson and W. Dowhan (Sweden, USA)* 281
- Inositides in the nucleus: presence and characterisation of the isozymes of phospholipase  $\beta$  family in NIH 3T3 cells  
*L. Cocco, S. Rubbini, L. Manzoli, A.M. Billi, I. Faenza, D. Peruzzi, A. Matteucci, M. Artico, R.S. Gilmour and S.G. Rhee (Italy, New Zealand, USA)* 295

## Short sequence-paper

- cDNA cloning and expression of human lactosylceramide synthase  
*M. Takizawa, T. Nomura, E. Wakisaka, N. Yoshizuka, J. Aoki, H. Arai, K. Inoue, M. Hattori and N. Matsuo (Japan)* 301

## Information for Contributors

vii

## Reviews

- Metabolism and selected functions of sphingolipids in the yeast *Saccharomyces cerevisiae*  
*R.C. Dickson and R.L. Lester (USA)* 305
- Recombinant adenovirus vector mediated expression of lipoprotein (a) [Lp(a)] in rabbit plasma  
*R. Ramharack, T.M.A. Bocan, M.J. Imperiale and M.A. Spahr (USA)* 322
- Biophysical and structural characterization of <sup>1</sup>H-NMR-detectable mobile lipid domains in NIH-3T3 fibroblasts  
*A. Ferretti, A. Knijn, E. Iorio, S. Pulciani, M. Giambenedetti, A. Molinari, S. Meschini, A. Stringaro, A. Calcabrini, I. Freitas, R. Strom, G. Arancia and F. Podo (Italy)* 329
- Calcium-dependent PAF-stimulated generation of reactive oxygen species in a human keratinocyte cell line  
*R. Goldman, S. Moshonov and U. Zor (Israel)* 349
- Effects of linoleic acid metabolites on electrical activity in adult rat ventricular myocytes  
*J.R. Stimers, M. Dobretsov, S.L. Hastings, A.R. Jude and D.F. Grant (USA)* 359

Incorporation of esterified soybean isoflavones with anti-oxidant activity into low density lipoprotein <i>Q.-H. Meng, P. Lewis, K. Wähälä, H. Adlercreutz and M.J. Tikkanen (Finland)</i>	369	Inhibition by tectorigenin and tectoridin of prostaglandin E <sub>2</sub> production and cyclooxygenase-2 induction in rat peritoneal macrophages <i>Y.P. Kim, M. Yamada, S.S. Lim, S.H. Lee, N. Ryu, K.H. Shin and K. Ohuchi (Japan, South Korea)</i>	399
A porcine homolog of the major secretory protein of human epididymis, HE1, specifically binds cholesterol <i>N. Okamura, S. Kiuchi, M. Tamba, T. Kashima, S. Hiramoto, T. Baba, F. Dacheux, J.-L. Dacheux, Y. Sugita and Y.-Z. Jin (France, Japan)</i>	377	<i>Cumulative Contents, Vol. 1438</i>	408
Novel membrane target proteins for lipoxygenase-derived mono(S)hydroxy fatty acids <i>L.-T. Kang, T.M. Phillips and J.Y. Vanderhoek (USA)</i>	388	<i>Author Index</i>	411

